RESIDENTIAL TIMERS





JANUARY 2008



TABLE OF CONTENTS

INDOOR TIMERS

INDOOR TIMERS	
401A 24 Hour Mechanical Timer below	,
402A 24 Hour Mechanical Air Conditioner Timer . below	,
407A 7 Day Mechanical Timer	
437R 7 Day Mechanical Random/Vacation Timer 1	
451A 24 Hour Mechanical Timer	
451D Heavy Duty 7 Day Digital Timer	
OUTDOOR TIMERS	
601A & 602A 24 Hour Mechanical Outdoor Timers,	
1 or 2 outlets)
611A 24 Hour Mechanical Outdoor	
Timer, 1 outlet	
651A & 652A Photocell Controlled Mechanical	
Outdoor Timer, 1 & 2 outlet	
653A & 654A Photocell Controlled Digital Outdoor	
Timer, 1 & 2 outlet	,
631D 7 Day Digital Outdoor Timer, 2 outlets 3	,
806A 24 Hour Mechanical Outdoor Timer, 6 outlets 3	
IN-WALL TIMERS	
711A Series 24 Hour In-wall Mechanical Timers 4	
SS720A Series In-wall 7 Day Digital Timers 4	Ļ
M500 Series In-wall Motor Operated Shut Down Timers 5	,
A500, C500 Series In-wall Spring Wound Shut Down	
Timers	,

INDOOR TIMERS

24 HOUR MECHANICAL TIMER

APPLICATIONS

- Automatically turn ON/OFF lamps, radios, TVs giving the home a lived-in look while you are away
- Turn ON/OFF coffee-makers
- Turn ON/OFF fans for any set time period

FEATURES

- Polarized Plug & Outlet
- Captive tabs every 15 min
- Multiple ON/OFFs
- Manual ON/TIMER switch

RATINGS

125VAC 15A Resistive 125VAC, 1250W Tungsten 125 VAC, 1/3 HP

CATALOG NO CODE 401A 16001





APPLICATIONS

- Automatically turn ON/OFF air conditioners, heaters and other heavy duty appliances

 Turn ON/OFF lamps and coffee-makers
- Turn ON/OFF fans for any set time period

FEATURES

Grounded Plug & Outlet

- Captive tabs every 15 min
- Multiple ON/OFFs
- Manual ON/TIMER switch

RATINGS

125VAC 15A Resistive 125VAC, 1250W Tungsten 125 VAC, 1/3 HP

CATALOG	UPC
NO	CODE
402A	16002







Minimum//

407A 🖭 us 7 DAY MECHANICAL TIMER

APPLICATIONS


- Ideal to control air conditioners and other appliances
- Turn ON/OFF lights
- Turn ON/OFF fans for any set time period

FEATURES

- Grounded Plug & Outlet
- Different schedules each day of the week
- Captive tabs every 2 hours
- Multiple ON/OFFs each day
- Manual ON/TIMER switch

RATINGS

125VAC 15A Resistive 125VAC, 1250W Tungsten 125 VAC, 1/3 HP





407A



PRE-SET AT FACTORY TO TURN

ON/OFF AT RANDOM TIMES!

7 DAY MECHANICAL RANDOM/VACATION TIMER

APPLICATIONS

 Automatically turn ON/OFF lamps, radios, TVs giving the home a lived-in look while you are away

FEATURES

- Polarized Plug & Outlet
- Nothing to set, just plug & go!
- ON/OFF times preset at factory – different each day of the week.
- Manual ON/TIMER switch

RATINGS

125VAC 15A Resistive 125VAC, 1250W Tungsten 125 VAC, 1/3 HP

CATALOG	UPC
NO	CODE
437R	16005

437R

24 HOUR MECHANICAL TIMER

APPLICATIONS

- Automatically turn ON/OFF lamps, radios, TVs giving the home a lived-in look while you are away

 Turn ON/OFF coffee makers, lamps, electric heaters

16006

FEATURES

- Grounded Plug & Outlet
- Captive tabs every 30 minutes
- Multiple ON/OFFs
- Outlet in front of unit
- Manual ON/TIMER switch

RATINGS

125VAC 15A Resistive 125VAC, 400W Tungsten



451A



451D @ s 7 DAY DIGITAL TIMER

APPLICATIONS

- Automatically turn ON/OFF lamps, radios, TVs giving the home a lived-in look while you are away
- Turn ON/OFF coffee makers, lamps, electric heaters

FEATURES

- Grounded Plug & Outlet
- Each day can be scheduled differently
- Multiple ON/OFFs per day
- Battery backup
- Manual temporary override

RATINGS

125VAC 15A Resistive 125VAC, 500W Tungsten

CATALOG	UPC
NO	CODE
451D	16007



451D

CATALOG

NO

451A

OUTDOOR TIMERS

601A & 602A W 24 HOUR MECHANICAL OUTDOOR TIMER WITH ONE OR TWO OUTLETS

APPLICATIONS

- Ideal to control landscape lighting and Christmas lights
- Control small pumps, fountains, motors, etc.

FEATURES

- 18" cord and grounded plug
- 96 captive tabs every 15 min.
- Multiple ON/OFFs each day
- Manual ON/TIMER switch

601A: one grounded outlet 602A: two grounded outlets

RATING are total	35 ((in ć	602A,	ratings
are total	for	two	outle	ts)

125VAC 15A Resistive & General Purpose 125VAC, 1250W Tungsten 125 VAC, 1/2 HP





611A c(% 24 HOUR MECHANICAL **OUTDOOR TIMER WITH ONE OUTLET**

APPLICATIONS

- Ideal to control landscape lighting and Christmas lights
- Control small pumps, fountains, motors, etc

FEATURES

- 24" cord and grounded plug
- 96 captive tabs every 15 min.
- Multiple ON/OFFs each day
- Manual ON/TIMER switch
- One grounded outlet

RATINGS

125VAC 15A Resistive & General Purpose 125VAC, 1250W Tungsten 125 VAC, 1/3 HP, TV-4



611A

651A & 652A վկ

PHOTOCELL CONTROLLED MECHANICAL OUTDOOR TIMER WITH ONE OR TWO OUTLETS

APPLICATIONS

- Ideal to control landscape lighting and Christmas lights
- Control small pumps, fountains, motors, etc

FEATURES

- Choice of settings:
 - ON at dusk & OFF 2, 4, 6, 8 hours later
 - ON at dusk, OFF at dawn
 - ON continuously
 - OFF

651A: 6.5" cord and one grounded outlet 652A: 6.5" cord and two grounded outlets

RATINGS 651A

125VAC 15A Resistive & General Purpose 125VAC, 1000W Tungsten 125 VAC, 1/3 HP, TV-4

RATINGS 652A

(total for two outlets) 125VAC 15A Resistive & General Purpose 125VAC, 625W Tungsten 125 VAC, 1/3 HP, TV-5



CATALOG	UPC
NO	CODE
651A	16024
652A	16026



653A & 654A (UL) us PHOTOCELL CONTROLLED **DIGITAL OUTDOOR TIMER** WITH ONE OR TWO OUTLETS

APPLICATIONS

- Ideal to control landscape lighting and Christmas lights
- Control small pumps, fountains, motors, etc.

RATINGS 653A

125VAC 15A Resistive & General Purpose 125VAC, 1000W Tungsten 125 VAC, 1/3 HP, TV-4


RATINGS 654A (total for two outlets) 125VAC 15A Resistive & General Purpose 125VAC, 625W Tungsten 125 VAC, 1/3 HP, TV-5

FEATURES

- Choice of settings:
 - ON at dusk & OFF 1-9 hours later
 - ON at dusk, OFF at random times
 - ON continuously
 - OFF

653A: 6.5" cord and one grounded outle 654A: 6.5" cord and two grounded out

CATALOG NO	UPC CODE	
653A 654A	16023 16025	





APPLICATIONS

- Ideal to control landscape lighting and Christmas lights
- Control pumps, fountains, motors, etc

FEATURES


- Each day can be scheduled differently
- Multiple ON/OFFs each day
- Temporary manual override
- Battery Backup
- 18" cord and two outlets on bottom

CATALOG	UPC
NO	CODE
631D	16027

RATINGS (total for two grounded outlets)

125VAC 15A Resistive & General Purpose 125VAC, 1000W Tungsten 125 VAC, 8A Ballast 125 VAC, 1/2 HP





631D

654A

WITH SIX OUTLETS AND STAKE **APPLICATIONS**

806A (P)

• Control landscape lighting and Christmas lights

24 HOUR MECHANICAL OUTDOOR TIMER

Control other outdoor lights

FEATURES

- SIX Grounded outlets: Two are always ON, Four are controlled by timer
- Solid color cover and 6' cord
- 96 tabs, 15 minutes apart for multiple ON/OFFs
- Wall mount or stake into ground
- 15A Circuit Breaker

RATINGS

Combined total for all 6 outlets, not to exceed:

125VAC, 15A Resistive 125VAC, 1250W Tungsten

CODE NO 806A 16028

UPC

CATALOG

806A

IN-WALL TIMERS

711A SERIES CUL) US 24 HOUR IN-WALL MECHANICAL TIMERS

APPLICATIONS

- Control porch, patio or other security type lighting
 Control interior lights to give a lived-in look
- Turn ON/OFF whole house/ventilating fans
- Control air conditioners


FEATURES

- Captive tabs every 30 minutes
- Up to 24 ON/OFF cycles
- AM/PM format
- Manual Override ON/OFF/TIMER switch does not disturb automatic settings
- Requires neutral wire
- WHITE OR ALMOND WALLPLATE, WIRE CONNECTORS AND **MOUNTING SCREWS ARE INCLUDED**

RATINGS
125VAC, 60Hz
& Coporal P

z, 15A Resistive & General Purpose 125VAC, 1000W Tungsten 125 VAC, 1/3 HP





SS720A SERIES 7 DAY IN-WALL DIGITAL TIMERS

APPLICATIONS

- Control porch, patio or other security type lighting
- Control interior lights to give a lived-in look
- Turn ON/OFF whole house/ventilating fans
- Control air conditioners

FEATURES

- 7 daily ON and OFF settings, 49 per week.
- Manual ON/OFF capability
- Requires neutral wire
- Matching protective cover over pushbuttons
- To the minute accuracy
- Battery backup (rechargeable Ni-MH battery)
- Display continually shows time, day of the week and
- Supplied with standard single gang decorator wallplate
- White and almond colors available

RATINGS

125VAC 15A Resistive & General Purpose 125VAC, 15A Tungsten 125 VAC, 1 HP

CATALOG NO	UPC CODE	COLOR		
SS720A	14017	WHITE		
SS720AA	14018	ALMOND		





CHOICE OF WHITE OR ALMOND COLORS!



IN-WALL TIMERS

A500 AND C500 SERIES (9) (9) IN-WALL SPRING WOUND SHUT DOWN TIMERS

APPLICATIONS

Control whole house/ventilating fans, appliances, heat lamps, lighting, thermostats.

FEATURES & OPERATION:

Unit is mechanically spring wound, requiring no electricity to operate. Switch contacts are made when knob is rotated and break circuit at the end of a timed cycle, thereby turning OFF load. CAUTION: This timer is not to be used in precision timing applications where inaccurate timing could have dangerous consequences (i.e., sun lamp, sauna, etc.)



RATINGS

125VAC, 20 AMP inductive/resistive 125VAC, 7 AMP Tungsten

125VAC, 1 HP





USING STANDARD SWITCHPLATE



	METAL FACEPLATE		IVORY FACEPLATE		WHITE FACEPLATE			ALMOND FACEPLATE			
TIME CYCLE	WITH HOLD	WITHOUT HOLD	UPC CODE	WITH HOLD	WITHOUT HOLD	UPC CODE	WITH HOLD	WITHOUT HOLD	UPC CODE	WITHOUT HOLD ONLY	UPC CODE
5 minutes		C505M	15500		A505M	15012		A505MW	15112		
0-15 minutes	C515MH		15502	A515MH		15020	A515MHW		15120		
0-15 minutes		C515M	15501		A515M	15013		A515MW	15113	A515MA	15127
0-30 minutes	C530MH		15504	A530MH		15021	A530MHW		15121		
0-30 minutes		C530M	15503		A530M	15014		A530MW	15114	A530MA	15128
0-60 minutes	C560MH		15506	A560MH		15022	A560MHW		15122		
0-60 minutes		C560M	15505		A560M	15015		A560MW	15115	A560MA	15129
0-2 hours		C502H	15507		A502H	15016		A502HW	15116		
0-4 hours		C504H	15509		A504H	15017		A504HW	15117		
0-6 hours	C506HH		15512	A506HH		15025	A506HHW		15125		
0-6 hours		C506H	15511		A506H	15018		A506HW	15118		
0-12 hours	C512HH		15514	A512HH		15026	A512HHW		15126		
0-12 hours		C512H	15513		A512H	15019		A512HW	15119		

M500 SERIES (UL) US IN-WALL MOTOR OPERATED SHUT DOWN TIMERS

APPLICATIONS

- Control whole house / ventilating fans
- Control air conditioning
- Control heat lamps

RATINGS

125VAC, 60Hz, 15A Resistive & General Purpose, 125VAC, 1250W Tungsten 125VAC, 1/2 HP

FEATURES

- Ideal for applications where quiet operation is desired
- Units can be turned ON or OFF manually for temporary or permanent control.
- Choice of white or almond color
- Choice of 60 minute or 12 hour timing
- Requires neutral wire.
- WHITE OR ALMOND WALLPLATE, WIRE CONNECTORS AND MOUNTING SCREWS ARE INCLUDED

CHOICE OF WHITE OR ALMOND COLORS!

CATALOG UPC TIME NO CODE CYCLE COLOR M560MW 10115 60 MIN WHITE M560MA 10118 60 MIN **ALMOND** M512HW 10116 12 HOURS WHITE 10119 12 HOURS **ALMOND** M512HA

OPERATION

To set the time duration requred, rotate the knob, which causes the switch contacts to be made. The electric motor then takes over and breaks the circuit at the end of the time cycle, thereby turning OFF load. CAUTION: This timer is not to be used in precision timing applications where inaccurate timing could have dangerous consequences (i.e., sun lamp, sauna, etc.)



ALPHANUMERIC INDEX

CATALOG NUMBER PAGE 401A a 407A 1 651A, 652A 2 653A, 654A 3 711A Series 4 C500 Series 5 M500 Series 4 SS720A Series 4

TERMS OF SALE

TORK VENDOR NUMBER: 786261

- 1. Prices are F.O.B. our plant.
- 2. Prices do not include any sales tax.
- 3. Freight charges will be prepaid on all orders \$250.00 and over shipping within continental USA using standard shipping methods and service.
- 4. Minimum order \$100.00.
- Claims for shortage, erroneous charges or price corrections shall be deemed waived unless made in writing, delivered to NSi within 30 days of invoice.
- 6. Terms of payment 2% 10th prox. net 25th following.
- 7. Warranties NSi guarantees all products to be free of defects in material and workmanship for a period of 1 year from date of sale. Any claims for defective material must be agreed to in writing by NSi. Defective material will be replaced on an F.O.B. our factory basis. NSi disclaims the implied warranty of fitness for a particular application.

OTHER PRODUCTS AVAILABLE

NSi can provide many other products for special applications which are not listed in this catalog. If you require an item which you do not find listed, please contact us. We would be pleased to provide a quotation upon receipt of a drawing or a sample.

GUARANTEE

It is our goal to provide extraordinary products and services on a daily basis. If our products or service do not meet with your satisfaction, please let us know immediately and we promise to make every reasonable effort to remedy the situation.

TORK TECHNICAL INFORMATION: 888.500.4598 REQUEST YOUR COMPLETE SET OF TORK CATALOGS TODAY!



